


COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

- *PHACO (STICHLESS CATARACT SURGERY)
- *ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)
- *PHAKIC IOL
- *TRAUMA
- *CONTACT LENSES
- SUPER-SPECIALITY CLINIC FOR
- *CORNEA
- *RETINA
- *GLAUCOMA
- *SQUINT & OCULOPLASTY
- *PAEDIATRIC & NEURO OPHTHALMOLOGY



EYE-Q
SUPER-SPECIALITY
EYE HOSPITALS

Dated 21th Feb 2025

To,

The Regional Scientific Officer,

Uttar Pradesh Pollution Control Board,

PICUP Bhawan, 4th Floor

Lucknow -226010

Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)

Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated B 60, Sector -B, Aliganj, Lucknow -226024 holding certificate under pollution control board via authorization no- 22088533 valid till 31st July 2026 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31st December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

Authorized Signatory

Megh Shyam



21-2-25

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	B 60, Sector -B, Aliganj, Lucknow- 226024
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	8468844844
	(vi) E-mail ID	:	Megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 22088533 21/08/2023 Valid up to: 31/07/2026
	(xi). Status of Consents under Water Act and Air Act	:	130586/UPPCB/Lucknow/CTO/Water/2021 130581/UPPCB/Lucknow/CTO/Air/2021 Valid From 05/07/2021 to 31/12/2025
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 03
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	0.6Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	0.6Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 51.82 Kg Red Category: 49.37 Kg White: 0 Kg Blue Category: 29.34 Kg General Solid Waste: 120 Kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 10 x 10


	Facility		Capacity: 120.0 Kg			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or Destroyer			
			Sharps			
			Encapsulation or concrete Pit			
			Deep burial Pits			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) SMS Watergrace Medi-waste Management Pvt. Ltd.			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UP32 EN 1842			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration			
			Ash			
			ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of					
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly			

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04 Training per annum
	(ii) Number of personnel trained		02
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from
01/01/2024 TO 31/12/2024

Date: Feb 21, 2025

Place: Lucknow



Megh Shyam 

(Regional Commercial Manager)



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 22088533 and Date:-21/08/2023
2. M/s EYE Q VISION PVT LTD, MEGH SHYAM an occupier or operator of the facility located at B-60, SEC-B, ALIGANJ, LUCKNOW, LUCKNOW, 226024 is hereby granted an authorisation for:

Generation, segregation

Collection



Storage

Transportation



Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s EYE Q VISION PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 03 Beds
 - (ii) Number of health care facilities covered by CBMWTF:
 - (iii) Installed treatment and disposal capacity:
 - (iv) Area or distance covered by CBMWTF:
 - (v) Quantity of Biomedical waste handled, treated or disposed: 0.6 Kg/day
4. This authorisation shall be in force for a period of 31/07/2026 Years from the date of issue.
- 4.1 The authorization shall be valid for till 31/07/2026
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

UMESH C SHUKLA
Dr. U.C Shukla
Regional Officer

Digitally signed by
UMESH C SHUKLA
Date: 2023.08.21
20:11:28 +05'30'

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

Ensure strict adherence to authorization conditions along with the following points and send compliance report within one month from receipt of this authorization.

- 1- The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the Rules made there under.
 - 2- The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the Board.
 - 3- The Authorized person shall not rent, lend, transfer or otherwise transport the bio-medical waste without obtaining prior permission of the prescribed authority.
 - 4- It is the duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
 - 5- Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - 6- Bio Medical Waste shall not be mixed with other waste.
 - 7- Needle cutter /shredders should be installed, maintained & operated to its reuse.
 - 8- Segregated Bio-Medical Waste in deficolour-codedbags shall be handed over to a valid agency as engaged for disposal.
 - 9- You shall also ensure that untreated Bio-Medical Waste shall be transported on regular basis by the engaged agency only in such vehicle as may be authorized for the purpose by the Board
 - 10- Bio-Medical Waste shall be segregated into containers/bags at the point of generation in accordance with schedule I. prior to its storage, transportation, treatment and disposal. The container shall be labelled as per provision. Record of Bio-Medical Waste for Incineration and other waste must be maintained in the Hospital.
 - 11- It shall be your sole responsibility to engage a valid authorized agency engage for C.B.T.F. (By U.P. Pollution Control Board) for the disposal of Bio-Medical Waste.
 - 12- No untreated biomedical waste shall be kept stored beyond a period of 48 hours in compliance of Rule 8 of Bio-Medical Waste (Management and Handling) Rules-2016.
 - 13- You shall submit an annual report to the U.P. Pollution Control Board in form IV by 30th June every year for a period from January to December. And include information about the categories and quantities of Bio-Medical Waste during the preceding year.
- This authorization is issued on the basis of agreement made in between the unit and M/s SMS water grace mediwaste Pvt. Ltd, Lucknow In case the agreement is breached /cancelled, the authorization issued to you will automatically be deemed as cancelled.
- 14- You shall maintain records related to the generation, collection, reception, storage, transportation, Treatment and disposal and/or any form of handling of Bio-Medical Waste in accordance with rules and guidelines. All records shall be subject to inspection and verification by the board at any time.
 - 15- It is within the power and functions of U.P. Pollution Control Board to modify/revoke the terms and conditions of the Authorization issued under the Rule of the Bio-Medical Waste Management Rules-2016.
 - 16- You are hereby directed to comply the stipulated above, mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.
 - 17- The Bio-Medical Waste shall not be disposed in open place in the premises.
 - 18- Strict Compliance of Rule 18 and all other provisions of BMW Rule 2016 must be ensured.
 - 19- The mercury contaminated Bio Medical Waste shall be properly segregated in the healthcare facility & the same shall be treated and disposed by CBWTF in compliance of the said rule and Hazardous Waste (Management Handling & Trans Boundary Movement) Rules, 2008 and thereof.
 - 20- You shall also ensure that the validity of CBWTF for the disposal of Bio Medical Waste extended before expired the time limit & submitted to this office otherwise your authorization may be revoked.

- 21- The Registration Certificate issued by Chief Medical Officer shall be submitted within one-month time.
- 22- Necessary Consent under section 25/26 of Water (Prevention & Control of Pollution) Act 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 shall be obtained within 03 months.
- 23- Remaining Authorization fees shall be submitted within fifteen days. You are directed to focus your attention on above mentioned conditions and submit compliance report in due time to this office, otherwise your authorization may be revoked.

Memo No.: 22088533

Dated:21/08/2023

Copy To:

Chief Environment officer (C-5) U.P.Pollution Control Board TC 12 V, Vibhuti Khand, Gomti Nagar, Lucknow.

UMESH C SHUKLA
Digitally signed by
UMESH C SHUKLA
Date: 2023.08.21
20:12:06 +05'30'
Dr. U.C Shukla
Regional Officer



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
130586/UPPCB/Lucknow(UPPCBRO)/CTO/water/LUCKNOW/2021

Dated : 13/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
B-60, Sec-B, Aliganj, Lucknow,LUCKNOW,226024
LUCKNOW

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No :12670011

Dated :13/07/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. EYE Q VISION PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 05/07/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Digitally signed by Dr Ram
Karan
Date: 2021.07.13 11:36:40
+05'30'
Regional Officer, Lucknow.

Enclosed : As above
(condition of consent):

Copy to: Chief Environment Officer-5, Uttar Pradesh Pollution Control Board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow- 226010.

Digitally signed by Dr Ram
Karan
Date: 2021.07.13 11:37:01
+05'30'
Regional Officer, Lucknow.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.EYE Q VISION PRIVATE LIMITED vide

Consent Order No. 12670011/ Water

Dated : 13/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of 3 Beded.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effulant	Maximum daily discharge,KL/day	Treatment facility and discharge point

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effulant		
S.No	Parameter	Standard

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effulant		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- 1) The hospital shall construct and commission the ETP and STP in all respects within 1 month without which the hospital will be placed in case of violation of this mentioned condition the consent shall be withdrawn after confirmation by Board. The hospital shall properly collect the disinfected wastewater from operation theatre washings, lab washings shall be treated in the ETP and shall be further treated along with floor washings, laundry washings & domestic wastewater in the STP to meet surface water standards. The treated wastewater shall be utilized for utilities, flushing of toilets, for on land irrigation within the premises to the maximum extent possible and the excess if any may be discharged into a municipal sewer, after meeting surface water standards.
- 2) The hospital shall comply the following effluent standards based on the disposal points permitted and shall comply the norms notified by MoEF & CC vide Notification No: G.S.R.422(E) dated: 19.05.1993.
- 3) The hospital shall comply with various Waste Management Rules as notified by MoEF & CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016 and Bio-Medical Waste Management Rules 2016.
- 4) The hospital shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
- 5) The hospital shall operate the disinfection facility (10% of Sodium Hypochlorite solution) continuously to treat the operation theatre washings, lab washings and send the disinfected washings to STP for further treatment.
- 6) The hospital shall provide digital flow meters with totalizer facility for the ETP and STP at inlet and outlet of ETP and STP to measure quantity of effluent routed through the ETP/STP.
- 7) The hospital shall install a separate energy meter for the ETP/STP and maintain log registers to record the energy meter readings pertaining to the operation of the ETP/STP.
- 9) The hospital shall not cause ground water pollution in and around the hospital premises.
- 10) The hospital shall provide the records/documents/log book regarding productions, raw material, electricity and water consumption etc and also co-operate the visiting officers of the Board.
- 11) In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn after confirmation.
- 12) There shall not be any fugitive emission from the premises.
- 13) Prior to abstraction of ground water, industry shall obtain a No Objection Certificate from Central Ground Water Authority.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Dr Ram Karan
Digitally signed by Dr Ram Karan
Date: 2021.07.13 11:37:26
+05'30'
Regional Officer, Lucknow.



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
130581/UPPCB/Lucknow(UPPCBRO)/CTO/air/LUCKNOW/2021

Dated : 13/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
B-60, Sec-B, Aliganj, Lucknow,LUCKNOW,226024
LUCKNOW

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No. 12669670

Dated : 13/07/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s EYE Q VISION PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
 2. This consent is valid for the period from 05/07/2021 to 31/12/2025 .
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Digitally signed by Dr Ram
Karan
Date: 2021.07.13 11:32:48
+05'30'
Regional Officer, Lucknow.

Enclosed : As above
(condition of consent):

Copy to: Chief Environment Officer-5, Uttar Pradesh Pollution Control Board, TC-12V, Vibhuti Khand,
Gomti Nagar, Lucknow- 226010.

Digitally signed by Dr Ram
Karan
Date: 2021.07.13 11:33:33
+05'30'
Regional Officer, Lucknow.

U.P. Pollution Control Board

Dated : 13/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Hospital 3 Beded.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	125 KVA DG Set	HSD	1	Particulate Matter	1.5 Meter

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.
Specific Conditions:

- 1) The hospital shall ensure that no odour nuisance is caused to the surrounding environment.
- 2) The hospital shall ensure adequate plantation and green belt within its premises. Green cover shall be in compliance of approved map from concerned Authority. Industry shall be developing 20% green belt in purpose factory premises.
- 3) The hospital shall comply with ambient air quality standards of SO₂ – 80 g/m³; NO_x – 80g/m³; PM_{2.5} - 60 g/m³; PM₁₀ - 100 g/m³, measured at the periphery of the hospital.
- 4) Under the Noise Pollution (Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise prescribe norms.
- 5) The hospital should provide adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, water sprinklers etc.,) at salient places within the HCEs even at Bio Medical Waste storage area, in accordance with fire safety regulations and the HCE should obtain certificate from fire department.
- 6) The hospital shall comply with emission limits for DG sets of capacity up to 125 KVA. DG Sets as per the Notification G.S.R.771 (E), dated 11.12.2013 under the Environment (Protection) Act Rules.
- 7) The hospital shall store Used / Waste Oil and Used Lead Acid Batteries in a shall secured way in their premises till its shall properly disposal to the authorized parties.
- 8) The hospital shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
- 9) In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn after confirmation.
- 10) The hospital shall comply with various Waste Management Rules as notified by MoEF & CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Tran boundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016 and Bio-Medical Waste Management Rules 2016.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Dr Ram Karan
Regionl Officer, Lucknow.

Digitally signed by Dr Ram
Karan
Date: 2021.07.13 11:33:55
+05'30'