

COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

- *PHACO (STICHLESS CATARACT SURGERY)
- *ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)
- *PHAKIC IOL
- *TRAUMA
- *CONTACT LENSES

SUPER-SPECIALITY CLINIC FOR

- *CORNEA
- *RETINA
- *GLAUCOMA
- *SQUINT & OCULOPLASTY
- *PAEDIATRIC & NEURO OPHTHALMOLOGY



EYE-Q
SUPER-SPECIALITY
EYE HOSPITALS

Dated 27th Feb 2025

To,

The Regional Scientific Officer,

Uttarakhand Pollution Control Board,

Awasth Vikas Road, Bhotia Parao,

Haldwani, Uttarakhand -263139

Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)

Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated Bhotia Parao, 8/6, Bareilly - Nainital Rd, opp. Taxi Stand, Subhash Nagar, Haldwani, Uttarakhand -263139 holding certificate under pollution control board via authorization no- UKPCB/ROH/CON/BMW/22/127-454 valid till 31st March 2027 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31st December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

Authorized Signatory

MEGH SHYAM



EYE-Q VISION PRIVATE LIMITED

Corporate Office : First Floor, Nursing Home 1, Sector - 46, Gurgaon - 122 002 | Tel. : 0124-4245460

CIN NO. U85121DL2006PTC152865


Registered Office : UG1, Suneja Tower 1, Janakpuri District Center, Janakpuri, Delhi-110058

Website: www.eyeqindia.com

Form – IV
(See rule 13)
ANNUAL REPORT


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	Bhotia Paraow, 8/6, Bareilly - Nainital Rd, opp. Taxi Stand, Subhash Nagar, Haldwani, Uttarakhand -263139
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	8468844844
	(vi) E-mail ID	:	Megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: UKPCB/ROH/CON/BMW/22/127-454 06/08/2022 Valid up to: 31/03/2027
	(xi). Status of Consents under Water Act and Air Act	:	CCA/BMW/22/376 Valid From 06/08/2022 to 31/03/2027
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 02
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	Global Environmental Solutions(Consent No-40409)
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	0.30Kg / day (9 Kg per month)
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	0.30Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 12.22 Kg Red Category: 40.2 Kg White: 0.56 Kg Blue Category: 13.66 Kg General Solid Waste: 90 Kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 10 x 10



	Facility		Capacity: 90.0 Kg			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydro clave			
			Shredder			
			Needle tip cutter or Destroyer			
			Sharps			
			Encapsulation or concrete Pit			
			Deep burial Pits			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Global Environmental Solutions			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UK 06TA2626			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration			
			Ash			
			ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of					
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly			

Handwritten signature




7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04 Training per annum
	(ii) Number of personnel trained		02
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from
01/01/2024 TO 31/12/2024

Date: Feb 27, 2025

Place: Haldwani



Megh Shyam

(Regional Commercial Manager)



Regional Office
Uttarakhand Pollution Control Board

Awas Vikas Colony, Haldwani

Phone: 05946-276509 & 276510 Web : www.ueppcb.uk.gov.in

UKPCB/ROH/Con

1BMW/22/1227-454

Date:

06/08/22

To,

M/s Eye Q Vision Pvt. Ltd.
Nainital Road Haldwani
District- Nainital (Uttarakhand)

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016" and Authorization under Bio-Medical Waste Management Rules, 2016, notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act, HW Rules and BMW Rules respectively).

CCA - *1BMW/22/376*
Date-

Provisional CCA/ BMW Authorization is hereby granted to M/s Eye Q Vision Pvt. Ltd., Nainital Road Haldwani, District- Nainital is subject to the provisions of the Water Act, Air Act, HW Act, BMW Rules, 2016 And the Orders that may be made further and subject to the Following term and Conditions:
This Provisional CCA/ BMW Authorization is granted for a period up to 31.03.2027.

Conditions under BMW Rules

1. No. Of Beds	02
2. Total Waste Generated (Kg/month)	9.0
3. Waste Disposal	Through CBWTF
4. Liquid Waste	As Per BMW Rule-2016

2. Conditions under Water Act.

Sewage Treatment and Disposal: The applicant shall provide comprehensive Sewage Treatment Plant as is required with reference to influent quantity and quality.

(iii) The treated sewage shall be sent to CETP/Reuse in gardening/Land disposal/Disposal in a drain and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

pH	Between	6.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l
COD	Not to exceed	250 mg/l

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Mts	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	N.A	N.A	N.A	N.A	N.A	N.A

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Night Time in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m

4. Conditions under Hazardous Wastes.Rules, 2016:-

- (i) Number of authorization and date of issue: _____
- (ii) The Incharge/Superintendent to M/s Eye Q Vision Pvt. Ltd., Nainital Road Haldwani, District- Nainital (Uttarakhand) is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	N.A	N.A	N.A

STANDARDS FOR DEEP BURIAL:-


- (1) A pit or trench should be dug about two meters deep. It should be half filled with waste, and then covered with lime within 50 cm of the surface, before filling the rest of the pit with soil.
- (2) It must be ensured that animals do not have any access to burial sites. Covers of galvanized iron or wire meshes may be used.
- (3) On each occasion, when wastes are added to the pit, a layer of 10 cm of soil shall be added to cover the wastes.
- (4) Burial must be performed under close and dedicated supervision.
- (5) The deep burial site should be relatively impermeable and no shallow well should be close to the site
- (6) The pits should be distant from habitation, and located so as to ensure that no contamination occurs to surface water or ground water. The area should not be prone to flooding or erosion.
- (7) The location of the deep burial site shall be authorized by the prescribed authority.
- (8) The institution shall maintain a record of all pits used for deep burial.
- (9) The ground water table level should be a minimum of six meters below the lower level of deep burial pit

Specific conditions:-

1. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
2. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
3. Solid wastes generated from the hospital have to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
4. The hospital shall comply with the **Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989** notified under the **Environment (Protection) Act, 1986** (as amended).
5. The hospital shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
6. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the **Central Pollution Control Board**.
7. The hospital shall strictly adhere with the specific and general conditions issued with CTE order. Any violation of stipulated conditions may attract legal action under the provisions of **Water Act, Air Act and Environment (Protection) Act and Rules** made there under.
8. Unit shall ensure manifest system in **Form-13 of HW Rules** while disposing hazardous waste.
9. This Consent is under red category.
10. Unit must be submitting self-attested affidavit in every year end of March for compliance of consent to operate.
11. The hospital shall strictly comply with the provisions of Water, Air, BMW and E (P) Acts and Rules/Notifications made there under.
12. Unit Shall ensure to arrange treatment & disposal of liquid waste in accordance to BMW Rule-2016 & shall report this office with compliance report.
13. Any Balance fee due on the HCF shall be paid by HCF as per direction/order of board..

Terms and conditions of authorization:

1. The authorization shall comply with provisions of the Environment (protection) Act 1986 & the rules made there under.
 2. The authorization or its renewal shall be produced for inspection on request of an officer authorized by the prescribed authority.
 3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the bio-medical waste without obtaining prior permission of the prescribed authority.
 4. The bins/bags should be labeled with bio-hazardous symbol. The bags used for BMW should be non-chlorinated.
 5. Non Chlorinated Plastic Bags placed in bins should be changed with each shift when they are 3/4th full.
 6. Non Chlorinated Plastic Bags carrying waste have to be Bar coding at the top whenever waste is being transported within/outside hospitals.
 7. According to schedule III & IV of the rules the color codings & details of waste should be marked on collection bins.
 8. No untreated bio-medical waste shall be kept stored beyond a period of 48 hours. if it becomes necessary to store beyond 48 hours the authorized person must take permission of the prescribed authority & to ensure that it does not adversely affect human health & environment.
 9. Hospital shall submit annual report to the prescribed authority in form II, including information's about the categories and quantities of BMW handled.
 10. Bio-medical wastes shall not be mixed with other waste.
 11. Validation test (spore testing and routine test for autoclave shall be performed regularly. Details regarding this as adopted shall be sent within a month.
 12. The mercury spillage/losses should be given proper attention, so that it should not be part of the bio-medical waste or other solid wastes generated from your hospital
 13. The hospital authority shall ensure strict compliance of above conditions on day to day basis.
- The hospital shall comply with other general conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time. Non- compliance of any provision of this CCA and provisions of the Water Act, Air Act, BMW Rules and Hazardous and other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.


Regional Officer

Copy to: 1- Member Secretary, Uttarakhand Pollution Control Board, for kind information please.

1
Regional Officer



GLOBAL ENVIRONMENTAL SOLUTIONS

Plant : Vill. Lamba Khera, P.O.- Khanpur, Gadarpur Road, Rudrapur (U.S. Nagar) U.K. PIN-263153,
(Authorized U.E.P.P.C.B Dehradun, Uttarakhand)
[Consent No. 40409]

Bio Medical Waste Management, E.T.P., Incineration

Complaint No. 8057700031 E.mail-globalenvir.solution@gmail.com

FOR BIO MEDICAL WASTE SERVICES & COLLECTION

AGREEMENT FORM

SECOND PART

NAME OF HEALTH CARE FACILITY

ADDRESS

NAME OF CONTACT PERSON (H.C.F.)

CONTACT PERSON'S MOBILE NO

CONTACT PERSON'S EMAIL

NO. OF BEDS

RATE PER BED/MONTHLY CHARGES Rs

CONTRACT VALID

SUBJECT TO 100gm OF BMW PER BED/PER DAY/ALTERNATE DAYS, ANY EXTRA WEIGHT

WILL BE CHARGED Rs. 150/KG.

TERMS & CONDITIONS :

A- FOR PAYMENT:-

- 1- All payment will be made advance of the month, Incase payments are not received within month service will be suspended and the HCF will be responsible for non compliance of BMW rules & Regulations (All Payment amount less then 2500 per month of the Hospital will be charged advance quaterly.)
- 2- Payment should be transfer by NEFT/RTGS/IMPS/Cheque & online. (No Cash)
- 3- Cheque bouncing Charges for Rs. 500 each cheque.
- 4- GST will be charged as per rules.

B- FOR SERVICES:-

- 1- Collection of properly segregated Bio Medical Waste from your health care facility in colour coded BMW bags & sealed with HCF date & Weight as required by regulation.
- 2- BMW will be collection on every Alternate day & BMW will not be collected on sunday & Government holidays. However waste generated on Sunday & holiday will be collected on the next working day.
- 3- Incase of treatment facility is under breakdown then BMW will not be collected on the break down day, however the stored BMW will be collected when the service resumes, For other disposal HCF will have to make alternate plan.
- 4- Staff & Employees of HCF engaged in segregation of BMW properly paked to the coded bags & they should have adequate knowledge to segregation & use tools.
- 5- Waste which is rested (रक्ता) warshan as baby will be not collected by BMW facility it and ponispable affpce.
- 6- If required Polythene Please raise order before 3 days & ready Cheque or Cash before receiving polythene.
- 7- This Agreement is Valid for Single healthcare's facility which had sign the above agreement.
- 8- According to SPCB order every facility had necessary to disposed plastic waste as on 45% of generation of B.M.W.

DECLARATION

The undersigned health care facility signatory hereby declares that all BMW will be properly segregated & packed in colour coded bags. Any BMW not segregaed properly will be not collected by GES BMW service health care facility will be responsible for any consequential penalties or damages.

FOR-GLOBAL ENVIRONMENTAL SOLUTIONS

AUTHORIZED SIGNATORY
STAMP & DATE

FOR-HEALTH CARE FACILITY

AUTHORIZED SIGNATORY
STAMP & DATE