

COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

\*PHACO (STICHLESS CATARACT SURGERY)  
\*ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)  
\*PHAKIC IOL  
\*TRAUMA  
\*CONTACT LENSES

SUPER-SPECIALITY CLINIC FOR

\*CORNEA  
\*RETINA  
\*GLAUCOMA  
\*SQUINT & OCULOPLASTY  
\*PAEDIATRIC & NEURO OPHTHALMOLOGY

EYE



EYE-Q  
SUPER-SPECIALITY  
EYE HOSPITALS

Dated 20<sup>th</sup> Feb 2025

To,

The Regional Scientific Officer,

Uttar Pradesh Pollution Control Board,

Panki -Kalyanpur Road, Phase -III, Awas Vikas Colony-3,

Sadbhavana Nagar, Kanpur.

**Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)**



Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated 127/621/40, W-Block, Juhi Kalan, Kanpur -208014 holding certificate under pollution control board via authorization no- 26181115 valid till 17<sup>th</sup> May 2027 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31<sup>st</sup> December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

  
Authorized Signatory  
  
MEHESH SRIVASTAVA



**EYE-Q VISION PRIVATE LIMITED**

Corporate Office : First Floor, Nursing Home 1, Sector - 46, Gurgaon - 122 002 | Tel. : 0124-4245460

CIN NO. U85121DL2006PTC152865

Registered Office : "UG1, Suneja Tower 1, Janakpuri District Center, Janakpuri, Delhi- 110058"

Website: www.evenindia.com

**Form – IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	127/621/40, W-Block, Juhi Kalan, Kanpur -208014
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	8468844844
	(vi) E-mail ID	:	Megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 26181115 ..... 18/05/2024 Valid up to: 17/05/2027
	(xi). Status of Consents under Water Act and Air Act	:	216604/UPPCB/Kanpur Nagar(UPPCBRO)/CTO/both/KANPUR NAGAR/2024 valid from 24/08/2024 to 31/12/2026
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 01
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	0.5Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	0.5Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 28 Kg Red Category: 25 Kg White: 0Kg Blue Category: 0 Kg General Solid Waste: 80 Kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 10 x 10



	Facility		Capacity: 80.0 Kg			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		<b>Type of treatment equipment</b>	<b>No of Units</b>	<b>Capacity Kg/day</b>	<b>Quantity Treated or disposed in kg per annum</b>
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or Destroyer			
			Sharps			
			Encapsulation or concrete Pit			
			Deep burial Pits			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Willworld Environmental			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UP78CT1763			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration			
			Ash			
			ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of					
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly			

*Welpm*




7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04 Training per annum
	(ii) Number of personnel trained		04
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from  
01/01/2024 TO 31/12/2024

Date: Feb 19, 2025

Place: Kanpur



Megh Shyam

*Megh Shyam*

(Regional Commercial Manager)





# UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

## FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 26181115 and Date:-18/05/2024
2. M/s EYE Q VISION PVT LTD, MEGH SHYAM an occupier or operator of the facility located at 127/621/40, W-BLOCK JUHI KALAN, KANPUR, KANPUR NAGAR, 208014 is hereby granted an authorisation for:

Generation, segregation

Collection

Storage

Transportation

Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s EYE Q VISION PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
  - (i) Number of beds of HCF: 01
  - (ii) Number of health care facilities covered by CBMWTF: NA
  - (iii) Installed treatment and disposal capacity: NA
  - (iv) Area or distance covered by CBMWTF: NA
  - (v) Quantity of Biomedical waste handled, treated or disposed: 1.0 Kg/Day
4. This authorisation shall be in force for a period of 03 Years from the date of issue.
- 4.1 The authorization shall be valid for till 17/05/2027
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

**AMIT  
MISHRA**

Digitally signed  
by AMIT MISHRA  
Date: 2024.05.18

**Terms and Conditions of Authorisation**

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

**Specific Conditions:**

1. HCF shall comply with the direction issued by Board vide letter No H-58049/C-6/Sa-35/Covid-19/2021 dated 28.01.2021 in compliance of Hon'ble NGT order in Original Application No. 72/2020 dated 18.01.2021.....

"In compliance with the Biomedical Waste Management Rules, 2016, every biomedical waste management facility must with regard to the implementation of Biomedical Waste Management Rule, 2016, installation of ETP is mandatory for above 10-bedded hospitals."

2. Hospital shall commence or preapproved layout map for Kanpur Development Authority, NOC from Fire Department and other statutory permissions. failing to which this order will cancelled.
3. The Validity of authorization for bedded health Care Facility shall be synchronized with the validity of the consents
4. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
5. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
6. The person authorized shall not rent, lend, sell, transfer, or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
7. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
8. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
9. The Bio- Medical waste shall be segregated into containers or bags at the point of generation in accordance with schedule I prior to its storage, transportation, treatment.
10. The containers or bags referred to in sub-rule (2) shall be labelled as specified in schedule IV.
11. The occupier shall ensure that bio- medical waste generated in hospital is handled without any adverse effect to human health and the environment.
12. If a container is transported from the premises where bio-medical waste is generated to any waste treatment facility container shall, apart from the label prescribed in schedule IV, also carry information in schedule IV.
13. Bio-medical waste shall not be mixed with other waste.
14. No untreated bio-medical waste shall be kept beyond a period of 48 Hrs. If it becomes necessary to store beyond 48 Hrs. The authorized person must take permission from the prescribed authority to ensure that it does not adversely affect human health and the environment.
15. As per Bio-Medical Waste Management, Rules 2016 and its amendment the hospital install Bar Coding Facility.
16. The occupier shall submit an annual report to the prescribed authority in form IV by 30th June every year, to include information about the categories and quantities of Bio-medical waste handled during the preceding year.
17. This authorization shall be valid subject to the validity of agreement with the Common Bio Medical Waste Treatment Facility. Renewed agreement should be submitted before the expiry of existing agreement.
18. The occupier shall maintain a record to the generation, collection, reception, storage, transportation, treatment, disposal and or any form of Bio-medical waste in accordance with these rules and verification by the prescribed authority at any time.
19. The occupier shall ensure the Mercury Spillage Management within the Hospital/Nursing Home etc due to breakages of thermometers, pressure & other measuring equipment as the spilled mercury does not become part of bio-medical or other solid wastes generated from the health care facilities.



for any purpose should be submitted within 15 days.

21. The occupier shall ensure that waste water generated from the hospital shall be treated as per norms and should obtain consent to operate, under provision of Water (Prevention & Control of Pollution) Act, 1974 under section 25/26 and Air (Prevention & Control of Pollution) Act, 1981 under section 21/22.

22. It is within powers and function of the U.P. Pollution Control Board to modify/revoke the terms and conditions of the authorization issued under the Bio-medical waste Management Rules, 2016.

23. In case of non-compliance of above conditions, this authorization will be deemed to be self-cancelled.

Memo No.: 26181115

Dated: 18/05/2024

**Copy To:**

**Chief Environment Officer-2, U.P. Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010.**

**AMIT**

**MISHRA**

Digitally signed  
by AMIT MISHRA

Date: 2024.05.18  
17:30:53 +05'30'

**Amit Mishra**

**Regional Officer**



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
जनसहभागिता का सन्देश



- स्वच्छता - देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है । वेस्ट /अपशिष्ट फेंकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रुकें । इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई - वेस्ट रीसाइकलर को दें । प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है । वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं । उपयोग में न होने पर बिजली उपकरणों को बंद करें । स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

**हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है ।**



## Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

Category : RED

Application Id : 27393971

216604/UPPCB/Kanpur Nagar(UPPCBRO)/CTO/both/KANPUR  
NAGAR/2024

Date: 24/08/2024

To,

M/s

**EYE Q VISION PRIVATE LIMITED**

**GROUND FLOOR, 127/621/40, W-BLOCK, SCHEME-2 JUHI KALAN, KANPUR UTTAR  
PRADESH, KANPUR NAGAR, 208027**

**Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981**

CCA is hereby granted to **EYE Q VISION PRIVATE LIMITED** located at **GROUND FLOOR, 127/621/40, W-BLOCK, SCHEME-2 JUHI KALAN, KANPUR UTTAR PRADESH, KANPUR NAGAR, 208027**. subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **EYE Q VISION PRIVATE LIMITED** granted for the period from **24/08/2024 to 31/12/2026** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	HOSPITAL-01 BEDDED	01	Numbers/Year

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	2.5 KLD Treated through combined STP/ETP-05 KLD	STP	
Industrial	1.0 KLD Treated through combined STP/ETP-05 KLD	ETP	

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-



## Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
-------	------------	-----------

### 3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

#### Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	35 KVA Acoustic DG set	HSD	1	Sulphur Dioxide	As per E(P) Act, 1986

#### Emission Quality Standards

S No.	Stack no	Parameters	Standards
1	1	Sulphur Dioxide	As per E(P) Act, 1986

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

### 4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.
7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

**General Conditions:-**

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

**Specific Conditions:-**

1. This consent for M/S EYE Q VISION PRIVATE LIMITED, GROUND FLOOR, 127/621/40, W-BLOCK, SCHEME-2 JUHI KALAN, KANPUR NAGAR is valid for HOSPITAL-01 BEDDED.
2. In case of usage of ground water, the project proponent must obtain NOC from CGWA within one month from the date of issue of CTE/CTO/CCA, unless failing in exempted category as per MoJS Guidelines dated 24.09.2020 and amendments dated 29.03.2023 thereto.
3. After the rejection of the consent application form of the industries and projects under the Acts, when the application is received again through the online portal Nives Mitra, then the consent fee of one year from the consent fee deposited earlier will be forfeited and the consent fee of the remaining years will be adjusted as the consent renewal fee for the next years and only the initial fee for the first year will be deposited for obtaining the consent (water/air).
4. This consent is valid only for the purpose specified under BMW Rules-2016.
5. HCF shall comply with the direction issued by Board vide letter No H-58049/C-6/Sa-35/Covid19/2021 dated 28.01.2021 in compliance of Hon'ble NGT order in Original Application No. 72/2020 dated 18.01.2021.....

"In compliance with the Biomedical Waste Management Rules, 2016, every biomedical waste management facility must with regard to the implementation of Biomedical Waste Management Rule, 2016, installation of ETP is mandatory for above 10-bedded hospitals."
6. Hospital shall commence or preapproved layout map from Kanpur Development Authority, NOC from Fire Department and other statutory permissions. failing to which this order will cancelled.
7. As per proposal for installation of combined ETP/STP-05 KLD should be installed within 03 Months from the issue of authorization date and submit its feasibility report form a NABL accredited laboratory within 01 month after commencement of STP & ETP. Failing to which this BMW authorization stands cancelled.
8. This consent is only valid if the hospital is located in conforming area as per Master Plan of the city.
9. This consent is valid for present installed air pollution sources. HCF shall to be taken prior permission from the Board in any type of expansion in air pollution sources in the unit.
10. Operation of DG sets shall be maintained as per Board Norms.
11. Complaint against installed DG sets if lodged, this consent will be revoked.
12. Exhaust pipe height of DG sets should be  $H \geq h + \text{under score } 0.2\text{KVA}$ .
13. Sound analysis report of DG sets will be produced in this office periodically through a Laboratory recognized by the Board.
14. Discharge of untreated effluent is strictly prohibited.



16. Sample of treated water can be taken by the Board at any time for analysis. Sample found beyond Board norms, action against HCF for revoking of consent may be taken.
17. The HCF shall undertake periodical sample analysis of treated effluent to ensure its compliance with the norms. This shall be done through a Laboratory recognized by the Board.
18. Rain water harvesting and ground recharging pit shall operate as per CGWA guideline. Design details to be submitted within a month from the date of issue.
19. Time bound program shall be submitted for development of green belt within a month from the date of issue.
20. This Unit shall develop Green Belt area of Premises as per the provisions laid down in office order no. H16405/220/2018/02 dated 16-02-2018 of U.P. Pollution Control Board. The copy of said office order is available on the website of U.P. Pollution Control Board [www.uppcb.com](http://www.uppcb.com).
21. HCF shall comply with the relevant provisions of Environmental Laws.
22. HCF will have to pay to the Board balance of fee if any not paid earlier.
23. Board reserves the right to review the CCA order in case of noncompliance of aforesaid conditions.

**AMIT**  
**MISHRA**  
Regionally signed  
by AMIT MISHRA  
Date: 2024.08.24  
18:07:33 +05'30'  
**Regional Officer, Kanpur Nagar**

Copy to:

Chief Environment Officer-2, U.P. Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar,  
Lucknow-226010.

**AMIT**  
**MISHRA**  
Regionally signed  
by AMIT MISHRA  
Date: 2024.08.24  
18:07:44 +05'30'  
**Regional Officer, Kanpur Nagar**



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
**जनसहभागिता का सन्देश**



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है । वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें । इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें । प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है । वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं । उपयोग में न होने पर बिजली उपकरणों को बंद करें । स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

**हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है ।**