

COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

- *PHACO (STICHLESS CATARACT SURGERY)
 - *ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)
 - *PHAKIC IOL
 - *TRAUMA
 - *CONTACT LENSES
- SUPER-SPECIALITY CLINIC FOR
- *CORNEA
 - *RETINA
 - *GLAUCOMA
 - *SQUINT & OCULOPLASTY
 - *PAEDIATRIC & NEURO OPHTHALMOLOGY



EYE-Q
SUPER-SPECIALITY
EYE HOSPITALS

Dated 20th Feb 2025

To,
The Regional Scientific Officer,
Uttar Pradesh Pollution Control Board,
Panki -Kalyanpur Road, Phase -III, Awas Vikas Colony-3,
Sadbhavana Nagar, Kanpur.

Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)

Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated 113/57, Swaroop Nagar, Kanpur, -208001 holding certificate under pollution control board via authorization no- 14882647 valid till 20th December 2027 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31st December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

Authorized Signatory



EYE-Q VISION PRIVATE LIMITED

Corporate Office : First Floor, Nursing Home 1, Sector - 46, Gurgaon - 122 002 | Tel. : 0124-4245460

CIN NO. U85121DL2006PTC152865


Registered Office : "UG1, Suneja Tower 1, Janakpuri District Center, Janakpuri, Delhi- 110058"

Website: www.eveqindia.com

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	113/57, Swaroop Nagar, Kanpur, Uttar Pradesh - 208001
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	8468844844
	(vi) E-mail ID	:	Megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 14882647 21/12/2024 Valid up to: 20/12/2027
	(xi). Status of Consents under Water Act and Air Act	:	Ref-129499/UPPCB/Kanpur Nagar(UPPCBRO)/CTO/water/KANPUR NAGAR/2021 Ref -129504/UPPCB/Kanpur Nagar(UPPCBRO)/CTO/air/KANPUR NAGAR/2021 Valid From 06 th July 2021 to 31 st December 2025
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 02
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	0.5Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	0.5Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 58.94 Kg Red Category: 65.75 Kg White: 0Kg Blue Category: 0 Kg



			General Solid Waste: 120 Kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 10 x 10

Handwritten signature

	Facility	Capacity: 120.0 Kg			
		Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities				Quantity Treated or disposed in kg per annum
		Type of treatment equipment	No of Units	Capacity Kg/day	
		Incinerators			
		Plasma Pyrolysis			
		Autoclaves			
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or Destroyer			
		Sharps			
		Encapsulation or concrete Pit			
		Deep burial Pits			
		Chemical disinfection:			
		Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Willworld Environmental		
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UP78CT1763		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed
			Incineration		
			Ash		
			ETP Sludge		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of				
	(vii) List of member HCF not handed over bio-medical waste.				
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly		

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04 Training per annum
	(ii) Number of personnel trained		04
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from
01/01/2024 TO 31/12/2024

Date: Feb 19, 2025

Place: Kanpur



Megh Shyam

(Handwritten signature)

(Regional Commercial Manager)



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

Category : RED

Application Id : 14882647

1. File no. of authorisation and date of issue: No:- 14882647 and Date:-21/12/2024
2. M/s EYE Q VISION PRIVATE LIMITED, RAJAT GOEL an occupier or operator of the facility located at 113/57, Swaroop Nagar, Kanpur, KANPUR NAGAR, 208001 is hereby granted an authorisation for:

Generation, segregation



Collection



Storage



Transportation

Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s EYE Q VISION PRIVATE LIMITED is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 02
 - (ii) Number of health care facilities covered by CBMWTF: NA
 - (iii) Installed treatment and disposal capacity: NA
 - (iv) Area or distance covered by CBMWTF: NA
 - (v) Quantity of Biomedical waste handled, treated or disposed: 0.50 Kg/Day
4. This authorisation shall be in force for a period of 03 Years from the date of issue.
- 4.1 The authorization shall be valid for till 20/12/2027
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

AMIT
MISHRA

Digitally signed by
AMIT MISHRA
Date: 2024.12.21
15:40:03 +05'30'

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. HCF shall comply with the direction issued by Board vide letter No H-58049/C-6/Sa-35/Covid-19/2021 dated 28.01.2021 in compliance of Hon'ble NGT order in Original Application No. 72/2020 dated 18.01.2021.....

"In compliance with the Biomedical Waste Management Rules, 2016, every biomedical waste management facility must with regard to the implementation of Biomedical Waste Management Rule, 2016, installation of ETP is mandatory for above 10-bedded hospitals."

2. Hospital shall commence or preapproved layout map for Kanpur Development Authority, NOC from Fire Department and other statutory permissions. failing to which this order will cancelled.
3. This authorization is issued on the basis of agreement made in between the unit and M/s Willworld Environmental, Village-Chaudharipur, Mandhana-Bithoor Road, Tehsil-Bilhour, Kanpur Nagar. In case the agreement is breached /cancelled, the authorization issued to you will automatically be deemed as cancelled.
4. The Validity of authorization for bedded health Care Facility shall be synchronized with the validity of the consents
5. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
6. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
7. The person authorized shall not rent, lend, sell, transfer, or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
8. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
9. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
10. The Bio- Medical waste shall be segregated into containers or bags at the point of generation in accordance with schedule I prior to its storage, transportation, treatment.
11. The containers or bags referred to in sub-rule (2) shall be labelled as specified in schedule IV.
12. The occupier shall ensure that bio- medical waste generated in hospital is handled without any adverse effect to human health and the environment.
13. If a container is transported from the premises where bio-medical waste is generated to any waste treatment facility container shall, apart from the label prescribed in schedule IV, also carry information in schedule IV.

14. Bio-medical waste shall not be mixed with other waste.
15. No untreated bio-medical waste shall be kept beyond a period of 48 Hrs. If it becomes necessary to store beyond 48 Hrs. The authorized person must take permission from the prescribed authority to ensure that it does not adversely affect human health and the environment.
16. As per Bio-Medical Waste Management, Rules 2016 and its amendment the hospital install Bar Coding Facility.
17. The occupier shall submit an annual report to the prescribed authority in form IV by 30th June every year, to include information about the categories and quantities of Bio-medical waste handled during the preceding year.
18. This authorization shall be valid subject to the validity of agreement with the Common Bio Medical Waste Treatment Facility. Renewed agreement should be submitted before the expiry of existing agreement.
19. The occupier shall maintain a record to the generation, collection, reception, storage, transportation, treatment, disposal and or any form of Bio-medical waste in accordance with these rules and verification by the prescribed authority at any time.
20. The occupier shall ensure the Mercury Spillage Management within the Hospital/Nursing Home etc due to breakages of thermometers, pressure & other measuring equipment as the spilled mercury does not become part of bio-medical or other solid wastes generated from the health care facilities.
21. Bar code system for bags or container containing bio-medical waste to be send out of the premises or place for any purpose should be submitted within 15 days.
22. The occupier shall ensure that waste water generated from the hospital shall be treated as per norms and should obtain consent to operate, under provision of Water (Prevention & Control of Pollution) Act,1974 under section 25/26 and Air (Prevention & Control of Pollution) Act,1981 under section 21/22.
23. It is within powers and function of the U.P. Pollution Control Board to modify/revoke the terms and conditions of the authorization issued under the Bio-medical waste Management Rules, 2016.
24. In case of non-compliance of above conditions, this authorization will be deemed to be self-cancelled.

Memo No.: 14882647

Dated:21/12/2024

Copy To:

**Chief Environment Officer-2, U.P. Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar,
Lucknow-226010.**

**AMIT
MISHRA** Digitally signed
by AMIT MISHRA
Date: 2024.12.21
15:40:18 +05'30'
**Amit Mishra
Regional Officer**



मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 129499/UPPCB/Kanpur
Nagar(UPPCBRO)/CTO/water/KANPUR
NAGAR/2021

Dated : 06/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
113/57, Swaroop Nagar, Kanpur,KANPUR NAGAR,208001
KANPUR NAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No :12537765

Dated :06/07/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. EYE Q VISION PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 06/07/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

DR ANIL KUMAR MATHUR
Digitally signed by DR ANIL KUMAR MATHUR
Date: 2021.07.06 15:26:31 +05'30'

Regional Officer,
Kanpur Nagar

Enclosed : As above
(condition of consent):

Copy to: CEO-2, U.P.Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010.

DR ANIL KUMAR MATHUR
Digitally signed by DR ANIL KUMAR MATHUR
Date: 2021.07.06 15:27:04 +05'30'

Regional Officer,
Kanpur Nagar

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.EYE Q VISION PRIVATE LIMITED vide

Consent Order No. 12537765/ Water

Dated : 06/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of EYE HOSPITAL-02 BEDS.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	0.5 KLD Through Drain	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	COD	250 mg/L
2	Oil & Grease	10 mg/L
3	Quantity of Discharge	0.5 KLD
4	Total Suspended Solids	100 mg/L
5	BOD	30 mg/L

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	Zero

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent for M/S EYE Q VISION PRIVATE LIMITED, 113/57, Swaroop Nagar, Kanpur is valid for EYE HOSPITAL-02 BEDS.
2. This consent is valid only for the purpose specified under BMW Rules-2016.
3. Discharge of untreated effluent is strictly prohibited.
4. Rain water harvesting and ground recharging pit shall operated as per CGWA guideline.
5. Board reserves the Right to Review/Modify/Alter the conditions given in this order.
6. Time bound program shall be submitted for development of green belt within a month from the date of issue.
7. HCF shall maintain/develop green belt as much as possible and plantation should be done as per guidance of Social Forestry Department.
8. HCF shall comply with the relevant provisions of Environmental Laws.
9. HCF will have to pay to the Board balance of fee if any not paid earlier.
10. Board reserves the right to review the CTO order in case of non compliance of aforesaid conditions.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

DR ANIL KUMAR MATHUR
MATHUR

Digitally signed by DR
ANIL KUMAR MATHUR
Date: 2021.07.06
15:27:44 +05'30'

**Regional Officer,
Kanpur Nagar**



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 129504/UPPCB/Kanpur
Nagar(UPPCBRO)/CTO/air/KANPUR NAGAR/2021

Dated : 06/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
113/57, Swaroop Nagar, Kanpur,KANPUR NAGAR,208001
KANPUR NAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No. 12538294

Dated : 06/07/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s EYE Q VISION PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 06/07/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

DR ANIL KUMAR MATHUR
MATHUR

Regional Officer,
Kanpur Nagar

Enclosed : As above
(condition of consent):

Copy to: CEO-2, U.P.Pollution Control Board, TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010.

DR ANIL KUMAR MATHUR
MATHUR

Regional Officer,
Kanpur Nagar

U.P. Pollution Control Board

Dated : 06/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of EYE HOSPITAL-02 BEDS.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent for M/S EYE Q VISION PRIVATE LIMITED, 113/57, Swaroop Nagar, Kanpur is valid for EYE HOSPITAL-02 BEDS.
2. This consent is valid only for the purpose specified under BMW Rules-2016.
3. HCF have not installed DG set. Industry will have to take prior permission from the Board in any type of expansion in air pollution sources in the unit. Complaint against unit, if lodged, this consent will be revoked.
4. Rain water harvesting and ground recharging pit shall operated as per CGWA guideline. Design details to be submitted within a month from the date of issue.
5. Time bound program shall be submitted for development of green belt within a month from the date of issue.
6. HCF shall maintain/develop green belt as much as possible and plantation should be done as per guidance of Social Forestry Department.
7. HCF shall comply with the relevant provisions of Environmental Laws.
8. HCF will have to pay to the Board balance of fee if any not paid earlier.
9. Board reserves the right to review the CTO order in case of non compliance of aforesaid conditions.

DR ANIL KUMAR
MATHUR

Digitally signed by DR ANIL
KUMAR MATHUR
Date: 2021.07.06 15:24:49
+05'30'

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

**Regional Officer,
Kanpur Nagar**