

COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

- \*PHACO (STICHLESS CATARACT SURGERY)
- \*ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)
- \*PHAKIC IOL
- \*TRAUMA
- \*CONTACT LENSES
- SUPER-SPECIALITY CLINIC FOR
- \*CORNEA
- \*RETINA
- \*GLAUCOMA
- \*SQUINT & OCULOPLASTY
- PAEDIATRIC & NEURO OPHTHALMOLOGY



**EYE-Q**  
SUPER-SPECIALITY  
EYE HOSPITALS

Dated 21<sup>st</sup> March 2025

To,  
The Regional Officer,  
Uttar Pradesh Pollution Control Board,  
6-B, New Mandi,  
Muzaffarnagar (U.P) -251001

**Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)**

Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated First Floor, 171/1 South Civil Lines, Court Road, Muzaffarnagar,- 251001 holding certificate under pollution control board via authorization no- 28691128 valid till 11<sup>th</sup> Nov 2027 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31<sup>st</sup> December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

Authorized Signatory

*MEECH SUNDAM*



*[Handwritten Signature]*  
21-3-25  
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
मुज़फ़्फ़रनगर

**Form –  
IV(Seerule1  
3)  
ANNUALREPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	First Floor, 171/1 South Civil Lines, Court Road, Muzaffarnagar -251001
	(iv) Address of Facility	:	Same As Above
	(v) Tel.No, Fax.No	:	8468844844
	(vi) E-mail ID	:	megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 28691128 ..... Valid up to: 11/11/2027
	(xi). Status of Consents under Water Act and Air Act	:	130598/UPPCB/Muzaffar Nagar (UPPCBRO)/CTO/Water/2021 130598/UPPCB/Muzaffar Nagar (UPPCBRO)/CTO/Air/2021 ..... Valid up to 31/03/2026
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 02
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	0.85Kg/day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	0.85Kg/day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 48.5Kg Red Category: 56.1Kg White: 19.8 Kg



			BlueCategory:26.8Kg
			GeneralSolidWaste: 120 Kg
5	DetailsoftheStorage,Treatment,Transportation,ProcessingandDisposalFacility		
	(i)	Detailsoftheon-sitestorage	: Size: 10 x 10



Facility	Capacity:120.0 Kg			
	Provision of on-site storage: (Cold storage or any other provision)			
(ii) Disposal facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or Destroyer			
	Sharps			
	Encapsulation or concrete Pit			
	Deep burial Pits			
	Chemical disinfection:			
	Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)		
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UP14JT4851		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
	Incineration			
	Ash			
	ETP Sludge			
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Environ Waste Connections LLP		
(vii) List of member HCF not handed over bio-medical waste.				



6	Do you have bio-medical wastemanagement committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly
---	--	--	--------------------



7	DetailstrainingsconductedonBMW		
	(i) Numberoftrainingsconducted onBMWManagement		04 Training per annum
	(ii) Numberofpersonneltrained		02
	(iii) Numberofpersonneltrainedat thetimeofinduction		
	(iv) Numberofpersonnelnot undergoneanytrainingssofar		
	(v) Whether standard manual fortrainingis available?		
8	Detailsoftheaccidentoccurredduringthe Year		
	(i) NumberofAccidentsoccurred		NA
	(ii) Numberofpersonsaffected		NA
	(iii) Remedial Action taken (Pleaseattachdetails ifany)		
	(iv) AnyFatalityoccurred,details		
9	Are you meeting the standards of airPollution from the incinerator? Howmanytimes inlastyear couldnot met thestandards?		
	Details of Continuous online emissionmonitoringsystemsinstalled		
10	Liquid waste generated and treatmentmethods inplace.Howmanytimesyou havenotmetthe standardsinayear?		
11	Isthedisinfectionmethodorsterilizationmeetingthelog4standards?Howmanytimesyou havenot metthestandardsin ayear?		
12	Anyotherrelevantinformation		

Certifiedthat theabovereport isfortheperiod from 01/01/2024 TO 31/12/2024

Date: March 21, 2025  
MeghShyam

Place:Muzaffarnagar



Eye Q Vision Private Limited

Megh Shyam

(Regional Commercial Manager)



# UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

## FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

Category : **ORANGE**

Application Id : 28691128

1. File no. of authorisation and date of issue: No:- 28691128 and Date:-12/11/2024
2. M/s EYE Q VISION PRIVATE LIMITED, MEGH SHYAM an occupier or operator of the facility located at First Floor, 171/1 South Civil Lines, Court Road, Muzaffarnagar, MUZAFFARNAGAR, 251001 is hereby granted an authorisation for:

Generation, segregation

Collection



Storage

Transportation



Reception

Use



Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s EYE Q VISION PRIVATE LIMITED is hereby authorized for handling of biomedical waste as per the capacity given below:
  - (i) Number of beds of HCF: 02
  - (ii) Number of health care facilities covered by CBMWTF: 0
  - (iii) Installed treatment and disposal capacity: 0
  - (iv) Area or distance covered by CBMWTF: 0
  - (v) Quantity of Biomedical waste handled, treated or disposed: 0.85 kg/day
4. This authorisation shall be in force for a period of 03 (Three) Years from the date of issue.
  - 4.1 The authorization shall be valid for till 11/11/2027
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Ankit  
Singh

Digitally signed  
by Ankit Singh  
Date: 2024.11.12  
17:49:52 +05'30'

**Specific Conditions:**

1. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
2. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
3. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
4. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. Bio- Medical waste shall not be mixed with other waste. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule I. Prior to its storage, transportation, treatment and disposal. The Containers shall be labelled according to schedule IV.
6. No untreated bio medical waste shall be kept stored beyond a period of 48 hours.
7. You shall submit an annual report to the U.P. Pollution Control Board in from IV by 31st January every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
8. You shall maintain record related to the generation, collection, reception storage, Transportation, treatment and disposal and / or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
9. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 10 of the Bio-Medical waste Management Rules, 2016.
10. The HCF shall submit the proposal of Effluent Treatment Plant cum Sewage Treatment Plant of adequate capacity for treatment of effluent generated from domestic effluent, laboratory effluent, floor washing etc. within one month from the issuance of this order.
11. Compliance of the sub rules 4(c) and (k) of the biomedical rules should be ensured within 3 months time & monthly progress report be sent to this office else authorization would be Revoked without further notice.
12. You are hereby directed to comply the provisions of Bio Medical Waste Management Rules, 2016.
13. The HCF shall ensure to obtain consent to operate under Water (Prevention and Control of Pollution) Act 1974 as amended and Air (Prevention and Control of Pollution) Act 1981 as amended.
14. This authorization shall be valid subject to the validity of agreement with the Common Bio- Medical Waste Treatment facility. Renewed agreement should be submitted before the expiry of existing agreement.
15. As per official record, Rs. 8250/- in Air Consent and Rs. 8250/- in Water Consent is balance against your unit which is not deposited in Board's Account till date. The unit shall ensure to submit Rs. 16500/- as balance consent fee (Water/Air) within 15 days from the issuance of this Bio Medical Waste Authorization in Board's Account and intimate to this office regarding deposition of balance fee with transaction details. A/c details is : Beneficiary name – Uttar Pradesh Pollution Control Board A/c no. for Water & Air Consent - 469801000049, IFSC – ICIC0004698, Bank name : ICICI Bank. Failing which this Authorization order will deemed to null & void.
16. You are hereby directed to comply the stipulated above mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.

**Ankit  
Singh**

Digitally signed by  
Ankit Singh  
Date: 2024.11.12  
17:50:26 +05'30'

Memo No.: 28691128

Dated: 12/11/2024

**Copy To:**



Ankit Singh  
Regional Officer

**Terms and Conditions of Authorisation**

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

**Ankit  
Singh** Digitally signed  
by Ankit Singh  
Date:  
2024.11.12  
17:50:11 +05'30'

Ankit  
Singh

Digitally signed  
by Ankit Singh  
Date: 2024.11.12  
17:50:36 +05'30'

Ankit Singh  
Regional Officer



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
जनसहभागिता का सन्देश



- स्वच्छता - देशमेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई - वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |



**UTTAR PRADESH POLLUTION CONTROL BOARD**  
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010  
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

**CONSENT ORDER**

Ref No. -  
130598/UPPCB/MuzaffarNagar(UPPCBRO)/CT  
O/water/MUZAFFARNAGAR/2021

Dated : 08/07/2021

To ,

Shri RAJAT GOEL  
M/s EYE Q VISION PRIVATE LIMITED  
171/1 South Civil Lines, Court Road, Muzaffar Nagar, MUZAFFAR NAGAR, 251001  
MUZAFFARNAGAR

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974  
(as amended) for discharge of effluent to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No :12670950

Dated :08/07/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act ) M/s. EYE Q VISION PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 03/07/2021 to 31/03/2026 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

**SINGH**  
ANKIT

Digitally signed  
by SINGH ANKIT  
Date: 2021.07.08  
17:42:57 +05'30'

Regional Officer  
UPPCB, Muzaffarnagar

Enclosed : As above  
(condition of consent):

Copy to:

Regional Officer  
UPPCB, Muzaffarnagar

**U.P. POLLUTION CONTROL BOARD, LUCKNOW**

Annexure to Consent issued to M/s.EYE Q VISION PRIVATE LIMITED vide

Consent Order No. 12670950/ Water

Dated : 08/07/2021

**CONDITIONS OF CONSENT**

1. This consent is valid only for the approved production capacity of Health Care Facility - Eye Hospital (02 Beds).
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	0.5	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	0.0

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

**Specific Conditions:**

**SINGH** Digitally signed  
**ANKIT** by SINGH ANKIT  
Date: 2021.07.08  
17:43:13 +05'30'



**UTTAR PRADESH POLLUTION CONTROL BOARD**

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

**CONSENT ORDER**

Ref No. -  
130597/UPPCB/MuzaffarNagar(UPPCBRO)/CTO/air/MUZAFFARN  
AGAR/2021

Dated : 08/07/2021

To ,

Shri RAJAT GOEL  
M/s EYE Q VISION PRIVATE LIMITED  
171/1 South Civil Lines, Court Road, Muzaffar Nagar, MUZAFFAR NAGAR, 251001  
MUZAFFARNAGAR

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)  
to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No. 12670895

Dated : 08/07/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s EYE Q VISION PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 03/07/2021 to 31/03/2026 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

SINGH  
ANKIT

Digitally signed  
by SINGH ANKIT  
Date: 2021.07.08  
17:43:38 +05'30'

Regional Officer  
UPPCB, Muzaffarnagar

Enclosed : As above  
(condition of consent):

Copy to:

Regional Officer  
UPPCB, Muzaffarnagar

**U.P. Pollution Control Board**

Dated : 08/07/2021

**CONDITIONS OF CONSENT**

1. This consent is valid only for the approved production capacity of Health Care Facility - Eye Hospital (02 Beds).
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

<b>Air Pollution Source Details</b>					
<b>S.No</b>	<b>Air Pollution Source</b>	<b>Type of Fuel</b>	<b>Stack No.</b>	<b>Parameters</b>	<b>Height</b>

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

<b>Emission Quality Details Detail</b>			
<b>S.No</b>	<b>Stack No</b>	<b>Parameter</b>	<b>Standard</b>

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

**The Unit will file the renewal application at least 2 months prior to the expiry of this Order.  
Specific Conditions:**

**SINGH**  
**ANKIT** Digitally signed  
by SINGH ANKIT  
Date: 2021.07.08  
17:43:47 +05'30'

1. Industry shall submit quarterly monitoring reports of all stacks and ambient air quality from a certified/approved laboratory.
2. Industry shall comply with various Waste Management Rules as notified by MoEf&CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016
3. The unit shall comply with the Bio-Medical waste Management Rules, 2016.
4. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process/fuel/plant machinery failing which consent would be deemed void.
5. Industry shall ensure adequate plantation and green belt within its premises.
6. Exhaust stack of DG set of 35 KVA should have 1.5 meter high above from nearest roof top. For control of noise, acoustic enclosure should be installed on DG Set.
7. Industry shall ensure proper operation and maintenance of Air Pollution Control Devices.
8. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
9. Unit shall submit balance consent fee of Rs.8,250/- in CTO Air through demand draft within 15 days, failing which this CTO shall be deemed void.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

SINGH  
ANKIT

Digitally signed  
by SINGH ANKIT  
Date: 2021.07.08  
17:43:57 +05'30'

Regional Officer  
UPPCB, Muzaffarnagar



# Environ Waste Connections LLP

Works : Common Bio-Medical Waste Treatment &  
Disposal Facility approved by MOEF & CC, CPCB & UPPCB

Plant Address : BN-102-104, Phase-III, UPSIDC, MG Road Indl. Area, Ghaziabad, Hapur- 201015

Mob.: 7617768512, 8802518487 | Email : ewc.srg@gmail.com

Website: www.environwasteconnections.in

Ref.No.EWC-754

Date : .....

## RENEWAL OF AGREEMENT

That the previous agreement executed on **01 FEB, 2024**, is renewed on **31 JAN, 2025** and shall be valid only when endorsed through a SEAL of Environ Waste Connections LLP.

BETWEEN

M/s Environ Waste Connections LLP, having its Registered office at D-27/1, Street No.-9, Near 30 Feet Road, Johripur Extn., Delhi-110094 and Plant address at:

**BN: 102-104, Phase -III, UPSIDC, M.G. Road Indl. Area, Ghaziabad-Hapur UP-201015**

AND

Eye Q Vision Pvt. Ltd.

**Address:-** 1st Floor Of Dr. S. Prakash Busines Comple, 171/1 South Civil Lines Court Road, Muzaffar nagar u.p.-251001

**Represented By:-**

Dr./Mr./Ms. Abida Khatun

Designation Operation manager

Contact No:- 9897311458

Email ID:-

The terms & conditions of the existing agreement shall remain unchanged as mentioned in the initial agreement. The service charges shall remain **Rs. 1200/- (Rupees One Thousand Two Hundred only)** and **GST Exclusive @12% or as Applicable on Fixed Charges** Per Month

or **Rs. NIL** per bed per day having a declared bed strength of **2**, subject to the condition of a weight limit of **25.0 kg/ Month** beyond which excess weight shall be charged **@Rs. 30.0/- per Kg**. That the above rates are exclusive of GST the same shall be charged extra as per the prevailing rates if becomes applicable.

This agreement shall remain valid for 01 year w.e.f. **01st FEB, 2025 to 31 JAN 2026**

That this agreement may be renewed further for the period and terms and conditions as agreed in between both of the parties hereto.

AMIT

KUMAR

LALL

Authorized Signatory-Service Provider

Digitally signed  
by AMIT KUMAR

LALL

Date: 2025.02.18

15:54:43 +05'30'



Authorized Signatory-Service Provider