


COMPREHENSIVE EYE EXAMINATIONS & LATEST FACILITIES FOR

*PHACO (STICHLESS CATARACT SURGERY)
*ZYOPTIX LASIK LASER (SPECTACLE REMOVAL)
*PHAKIC IOL
*TRAUMA
*CONTACT LENSES
SUPER-SPECIALITY CLINIC FOR
*CORNEA
*RETINA
*GLAUCOMA
*SQUINT & OCULOPLASTY
*PAEDIATRIC & NEURO OPHTHALMOLOGY



EYE-Q
SUPER-SPECIALITY
EYE HOSPITALS

Dated 21th Feb 2025

To,

The Regional Scientific Officer,

Uttar Pradesh Pollution Control Board,

PICUP Bhawan, 4th Floor

Lucknow -226010

Subject: - Submission of Annual Biomedical Waste Report in Form IV (1st Jan 2024 to 31st Dec 2024)

Respected Sir/Madam,

We, Eye -Q Vision Private Limited, situated 2025, E -Block, Rajajipuram, Lucknow-226017 holding certificate under pollution control board via authorization no- 22031068 valid till 31st July 2027 hereby submitting the annual report for biomedical waste in form IV for the period of 01st January 2024 to 31st December 2024.

Thanking You!

Yours Sincerely,

Eye -Q Vision Private Limited

Authorized Signatory

MEGH SINGH



21-2-25

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Megh Shyam
	(ii) Name of HCF or CBMWTF	:	EYE Q VISION PVT. LTD.
	(iii) Address for Correspondence	:	2025, E -Block, Rajajipuram, Lucknow-226017
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	8468844844
	(vi) E-mail ID	:	Megh.shyam@eyeqindia.com
	(vii) URL of Website	:	www.eyeqindia.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Ltd.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 22031068 23/08/2023 Valid up to: 31/07/2027
	(xi). Status of Consents under Water Act and Air Act	:	130545/UPPCB/Lucknow/CTO/Water/2021 130540/UPPCB/Lucknow/CTO/Air/2021 Valid From 05/07/2021 to 31/12/2025
2	Type of Health Care Facility	:	Private
	(i) Bedded Hospital	:	No. of Beds: 02
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	400 Gm / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	400 Gm / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 48.00 Kg Red Category: 35.00 Kg White: 0 Kg Blue Category: 0 Kg General Solid Waste: 90 Kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 10 x 10

	Facility		Capacity: 8.0 Kg																																																						
			Provision of on-site storage : (Cold storage or any other provision)																																																						
	(ii) Disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or Destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps</td><td></td><td></td><td></td></tr> <tr><td>Encapsulation or concrete Pit</td><td></td><td></td><td></td></tr> <tr><td>Deep burial Pits</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or Destroyer				Sharps				Encapsulation or concrete Pit				Deep burial Pits				Chemical disinfection:				Any other treatment equipment:					
Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																																						
Incinerators																																																									
Plasma Pyrolysis																																																									
Autoclaves																																																									
Microwave																																																									
Hydroclave																																																									
Shredder																																																									
Needle tip cutter or Destroyer																																																									
Sharps																																																									
Encapsulation or concrete Pit																																																									
Deep burial Pits																																																									
Chemical disinfection:																																																									
Any other treatment equipment:																																																									
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) SMS Watergrace Mediawaste Management Pvt Ltd.																																																						
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	UP 32 FN 4612																																																						
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th></th> <th>Quantity Generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr><td>Incineration</td><td></td><td></td></tr> <tr><td>Ash</td><td></td><td></td></tr> <tr><td>ETP Sludge</td><td></td><td></td></tr> </tbody> </table>		Quantity Generated	Where disposed	Incineration			Ash			ETP Sludge																																												
	Quantity Generated	Where disposed																																																							
Incineration																																																									
Ash																																																									
ETP Sludge																																																									
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of																																																								
	(vii) List of member HCF not handed over bio-medical waste.																																																								
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		One Hour Quarterly																																																						

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04 Training per annum
	(ii) Number of personnel trained		03
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the Year		
	(i) Number of Accidents occurred		NA
	(ii) Number of persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)


Certified that the above report is for the period from
01/01/2024 TO 31/12/2024

Date: Feb 21, 2025

Place: Lucknow

Megh Shyam

(Regional Commercial Manager)





UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
130545/UPPCB/Lucknow(UPPCBRO)/CTO/water/LUCKNOW/2021

Dated : 16/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
E - 2025 A, Rajajipuram, Lucknow,LUCKNOW,226017
LUCKNOW

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No :12664711

Dated :16/07/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. EYE Q VISION PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 05/07/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Dr Ram Karan
Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:22:03 +05'30'
Regional Officer, Lucknow.

Enclosed : As above
(condition of consent):

Copy to: Chief Environment Officer-5, Uttar Pradesh Pollution Control Board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow- 226010.

Dr Ram Karan
Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:22:23 +05'30'
Regional Officer, Lucknow.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.EYE Q VISION PRIVATE LIMITED vide

Consent Order No. 12664711/ Water

Dated : 16/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of EYE HOSPITAL 02 BEDED.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	0.5 KLD	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	0.5 KLD
2	Total Suspended Solids	As per E.P Rules 1986

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	NA

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

- 1- The Hospital shall maintain strict supervision and this order is valid for 02 BEDED EYE HOSPITAL
- 2- The Hospital will ensure the continuous and uninterrupted data supply.
- 3- The Hospital should ensure the operation of Hospital in such a manner that it confirm the standards lay down under the E.P. Rules 1986
- 4- No effluent shall be allowed to be discharged in the ambient environment only after exhausting options for reuse in industrial process/irrigation in order to minimise freshwater usage.
- 5- Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
- 6- The Hospital will have to ensure permission from the CGWA for ground water extraction and it will be the responsibility of the industry to comply with the various conditions of the permission taken.
- 7- The Hospital shall submit the point wise compliance report of the previous CTO issued by the Board an audited balance sheet for the current year and the details of fees deposited during last three years within a month otherwise this CTO may be revoked.
- 8- If the CPCB or UPPCB issues the Closure order against The Hospital this consent order stands automatically suspended for that period.
- 9- The Hospital shall submit compliance report of BMW Authorization issued under BMW Rules 2016.
- 10- This consent is valid only for products and quantity mentioned above. Hospital shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
- 11- The Hospital shall abide by orders/directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safeguard of environment from time to time.
- 12- The Hospital shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 13- Minimum 33% of the land on which Hospital is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H-16405/220/2018/02 dt. 16/02/2018.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Dr Ram Karan
Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:22:49
+05'30'
Regional Officer, Lucknow.



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
130540/UPPCB/Lucknow(UPPCBRO)/CTO/air/LUCKNOW/2021

Dated : 16/07/2021

To ,

Shri RAJAT GOEL
M/s EYE Q VISION PRIVATE LIMITED
E - 2025 A, Rajajipuram, Lucknow,LUCKNOW,226017
LUCKNOW

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. EYE Q VISION PRIVATE LIMITED

Reference Application No. 12664593

Dated : 16/07/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s EYE Q VISION PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
 2. This consent is valid for the period from 05/07/2021 to 31/12/2025 .
 3. Inspite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Dr Ram Karan Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:19:12 +05'30'
Regional Officer, Lucknow.

Enclosed : As above
(condition of consent):

Copy to: Chief Environment Officer-5, Uttar Pradesh Pollution Control Board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow- 226010.

Dr Ram Karan Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:19:32
+05'30'
Regional Officer, Lucknow.

U.P. Pollution Control Board

Dated : 16/07/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Hospital 02 Bed.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	125 KVA DG Set	HSD	1	Particulate Matter	1.5 Meter

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.
Specific Conditions:

- 1) The hospital shall ensure that no odour nuisance is caused to the surrounding environment.
- 2) The hospital shall ensure adequate plantation and green belt within its premises. Green cover shall be in compliance of approved map from concerned Authority. Industry shall be developing 20% green belt in purpose factory premises.
- 3) The hospital shall comply with ambient air quality standards of SO₂ – 80 g/m³; NO_x – 80g/m³; PM_{2.5} - 60 g/m³; PM₁₀ - 100 g/m³, measured at the periphery of the hospital.
- 4) Under the Noise Pollution (Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise prescribe norms.
- 5) The hospital should provide adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, water sprinklers etc.,) at salient places within the HCEs even at Bio Medical Waste storage area, in accordance with fire safety regulations and the HCE should obtain certificate from fire department.
- 6) The hospital shall comply with emission limits for DG sets of capacity up to 125 KVA. DG Sets as per the Notification G.S.R.771 (E), dated 11.12.2013 under the Environment (Protection) Act Rules.
- 7) The hospital shall store Used / Waste Oil and Used Lead Acid Batteries in a shall secured way in their premises till its shall properly disposal to the authorized parties.
- 8) The hospital shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
- 9) In case of violation of above mentioned conditions or any public complaint the consent shall be withdrawn after confirmation.
- 10) The hospital shall comply with various Waste Management Rules as notified by MoEF & CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Tran boundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016 and Bio-Medical Waste Management Rules 2016.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Dr Ram Karan
Digitally signed by Dr Ram Karan
Date: 2021.07.16 11:19:54
+05'30'
Regional Officer, Lucknow.